# **MATERIAL SAFETY DATA INFORMATION**

# SOFT POINT INDUSTRIES, INC

# 988 Traci Lane, Copley. OH 44321-1466

Phone: 330 668-2645, email: sales@softsandrubber.com

# MSDS#: AG-002

**Chemical Family: Polymer** 

## Section #1- Product Identification:

Chemical Names and Synonyms: Thermoset Plastic Granules

Formula Proprietary

Trade Name: Asper Grit

Description: Clear Polymer Granules

Recommended Use: Texture Agent for Coatings

Supplier: Soft Point Industries, Inc. 988 Traci Lane, Copley, OH, USA. Phone: 330 668-2645

# Section#2 – Hazards Identification:

The product is a thermoset plastic with less than 0.5% synthetic amorphous silica CAS 112926-00-8 on the surface as a processing aid and is non-hazardous as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200.

There are no references to the material in the HSDB. IRIS, ITER, GENETOX, CCRIS, CTP, or TRI(a-g).

Asper Grit can be an irritant as a nuisance dust: Through Inhalation there can be acute respiratory irritation with some evidence of chronic respiratory irritation. Exposure by the eyes and skin to Asper Grit can result in mechanical irritation.

# Section #3 – Composition/Information on Ingredients:

Chemical Identity: 2,5,8,10-tetraoxatridec-12-enoic acid, 9-oxo-2-propen-1-yl ester, homopolymer. CAS #: 25656-90-0. Contains < 0.5% amorphous silica as a surface processing aid CAS# : 112926-00-8

# Section #4 – First Aid Measures:

Emergency First Aid Procedures: Remove to fresh air. Flush Eyes with plenty of Water. Wash skin with soap and water. If irritation persists, consult physician.

Medical Conditions Generally Aggravated by Exposure: Individuals with Chronic Respiratory Disorders (i.e. Asthma, Chronic Bronchitis, Emphysema, etc) may be adversely affected by particulate exposure.

#### Section #5 – Firefighting Measures:

Extinguishing Media: Water, Foam, ABC Dry Chemical

Special Fire Fighting Procedures: None Known

Unusual Fire and Explosion Hazards: None Known

#### Section #6 – Accidental Release Measures:

Steps to be taken in the event of release or spillage of material: Collect and return to container.

Waste Disposal Method: Dispose of in accordance with State, Local and Federal requirements.

# Section #7 – Handling and Storage:

Respiratory Protection: Ventilation should be used to control dust in the work area. Use of a NIOSH approved dust mask is recommended.

Eye Protection: Safety Goggles are recommended.

Other: None

Storage: The auto ignition temperature of Asper Grit is 300C (572F), it is not reactive with water nor is it subject to spontaneous polymerization, so it can be stored in containers under normal storage conditions.

#### Section #8 – Exposure Controls/Personal Protection:

There are no data on exposure limit controls.

Respiratory Protection: Ventilation should be used to control dust in the work area. Use of a NIOSH approved dust mask is recommended.

Eye Protection: Safety Goggles are recommended.

#### Section #9 – Physical and Chemical Properties:

Boiling Point (deg F): N/A

Vapor Pressure (mm Hg): N/A

Vapor Density: N/A

Solubility in Water: Insoluble

Percent Volatile by Volume: N/A

Evaporation Rate: N/A

Odor: No characteristic odor

Specific Gravity (H2O = 1.00): 1.28 to 1.33.

Flash Point: 377C (710F)

Auto Ignition temperature: >300C (572F)

## Section #10 – Stability and Reactivity:

Stability: Avoid Decomposition Temperatures. Under conditions of normal use, the material is stable. Thermal decomposition may release smoke, carbon dioxide and carbon monoxide.

#### Section #11 – Toxicological Information:

There are no toxic indications for this material in appropriate databanks including HSDB, IRIS, ITER, GENETOX, CCRIS, CTP or DART(h).

#### Section #12 – Ecological Information:

No studies have been done on ecological effects of this material.

#### Section #13 – Disposal Considerations:

Best disposal methods are recycling or reuse, or alternatively normal landfilling practices.

#### Section #14 – Transport Information:

Not classified as hazardous according to the Department of Transportation. Material transport class C60. Regarding marine concerns, product is not soluble in water.

# Section #15 – Regulatory Information:

There are no regulatory requirements specific to the product.

#### Section #16 – Other information on the MSDS preparation:

This MSDS update is current as of 6/12/14.

- (a) HSDB Toxnet Hazardous substance database
- (b) IRIS Toxnet Integrated Risk Information
- (c) ITER Toxnet International Toxic Estimates for Risk
- (d) GENETOX Toxnet Genetic Toxicological Data
- (e) CCRIS Toxnet Chemical Carcinogen Information

- (f) CTP Toxnet Comparative Toxicogenomics Database
- (g) TRI Toxnet Toxics Release Inventory
- (h) DART TOXNET Development Toxic Literature Search

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Soft Point Industries, Inc. and based on data that are considered reliable. Soft Point Industries, Inc expressly disclaims any liability for personal injury or property damage to vendees, users or third parties caused by this material. The vendees and users assume all risks associated with the use of this material including compliance with Federal, State and Local laws and regulations.

Prepared by: RDP 6/12/14